

# MATERIAL SAFETY DATA SHEET



Emergency Phone: 800-992-5994  
Dow AgroSciences LLC  
Indianapolis, IN 46268

## VIKANE\* GAS FUMIGANT

Effective Date: 27-Jan-10  
Product Code: 91503  
MSDS: 000506

### 1. PRODUCT AND COMPANY IDENTIFICATION:

**PRODUCT:** Vikane\* Gas Fumigant

#### COMPANY IDENTIFICATION:

Dow AgroSciences LLC  
9330 Zionsville Road  
Indianapolis, IN 46268-1189

### 2. HAZARDOUS IDENTIFICATIONS:

#### EMERGENCY OVERVIEW

Colorless, odorless compressed gas. Evacuate immediate area if leak occurs. Excessive vapor concentrations are attainable and a single exposure may cause death. Toxic to pets, fish, wildlife, and avian.

**EMERGENCY PHONE NUMBER:** 800-992-5994

### 3. COMPOSITION/INFORMATION ON INGREDIENTS:

|  |                  |       |
|--|------------------|-------|
| Sulfuryl fluoride                                | CAS# 002699-79-8 | 99.8% |
| Impurities Associated with the Active Ingredient |                  | 0.2%  |

### 4. FIRST AID:

**EYES:** In case of frostbite, immediately flush eyes with water; remove contact lenses, if present, after the first 5 minutes, then continue flushing eyes for at least 15 minutes. Obtain medical attention promptly, preferably from an ophthalmologist.

**SKIN:** If shoes, gloves, or clothing covering skin become wet with sulfuryl fluoride, immediately apply water to contaminated clothing before removing. Once area has thawed, remove contaminated items covering skin. Wash thoroughly or shower.

**INGESTION:** If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

**INHALATION:** Move person to fresh air. If not breathing, give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask; etc). If breathing is difficult, oxygen should be administered by qualified personnel. Call a physician or transport to a medical facility. If person is not breathing and has no pulse, consider cardiopulmonary resuscitation (CPR); use pocket resuscitation mask, bag valve mask, etc., to avoid risk of poisoning rescuer. To prevent pulmonary edema have the person inhale 5 shots of an aerosol corticosteroid metered dose inhaler (if available), such as beclomethasone or fluticasone, etc., every 10 minutes until the person is evaluated by a physician.

**NOTE TO PHYSICIAN:** Sulfuryl fluoride is a gas which has no warning properties such as odor or eye irritation (however, chloropicrin is used as a warning agent and is a known lachrymator). The prediction of possible human effects is based in part on observations made on laboratory animals. Treat for frostbite if present (eyes, skin) with gentle re-warming by water irrigation for at least 15 minutes. It is predicted that persons exposed to sulfuryl fluoride will show little evidence of intoxication at first, unless the concentration is very high (>400 ppm). Early symptoms of exposure to sulfuryl fluoride are respiratory irritation and central nervous system depression. Excitation may follow. Slowed movement, reduced awareness, and slow or garbled speech may be noted. It is essential to keep such an individual at bed rest for at least 24 hours. Clinical observations should be directed at the pulmonary, hepatic, and renal systems. Prolonged exposure can produce lung irritation, pulmonary edema, nausea, and abdominal pain. Repeated exposure to high concentrations can result in significant lung and kidney damage. Convulsions may ensue with respiratory arrest being the terminal event. Assisted respiration may be necessary. Clinical observation is essential. There is no known antidote for over-exposure to sulfuryl fluoride. Consider administering a complete aerosol corticosteroid metered dose inhaler (100 – 150 shots) or equivalent as initial preventive treatment for incipient pulmonary edema. Consider administering 250 – 1000 mg prednisolone IV on the first day of treatment. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient

# MATERIAL SAFETY DATA SHEET



Emergency Phone: 800-992-5994  
Dow AgroSciences LLC  
Indianapolis, IN 46268

## VIKANE\* GAS FUMIGANT

Effective Date: 27-Jan-10  
Product Code: 91503  
MSDS: 000506

### 5. FIRE FIGHTING MEASURES:

**FLASH POINT:** Not applicable  
**METHOD USED:** Not applicable

#### FLAMMABLE LIMITS

LFL: Not combustible  
UFL: Not combustible

**EXTINGUISHING MEDIA:** Sulfuryl fluoride is not combustible. However, if cylinders are in a fire area, water can be used to keep them cool to help prevent discharge of product caused by melted fusible plugs on the cylinders. Use of water will also help to scrub out part of any hydrofluoric acid and sulfur dioxide, which may be formed by decomposition of the product in a fire.

**FIRE & EXPLOSION HAZARDS:** Cylinders exposed to fire may vent and release toxic gas through melted fusible plugs on cylinders. Although sulfuryl fluoride is not combustible, in temperatures exceeding 400 °C (752 °F), it will degrade to form hydrogen fluoride and sulfur dioxide.

**FIRE-FIGHTING EQUIPMENT:** Wear positive-pressure, self-contained breathing apparatus and full protective clothing. When fighting fires in atmospheres containing potentially high concentrations of sulfuryl fluoride, encapsulating protective suits should be worn due to possible formation of hydrofluoric acid. Protective suit material should be compatible with exposure to hydrofluoric acid.

### 6. ACCIDENTAL RELEASE MEASURES:

**ACTION TO TAKE FOR SPILLS/LEAKS:** Evacuate immediate area if cylinder begins to leak. Use a NIOSH or MSHA approved positive-pressure, self-contained breathing apparatus (SCBA) or combination air-supplied/SCBA respirator, such as manufactured by Ranger, Survivair, Scott, or MSA, for entry into affected areas to correct problem. For leaking cylinders occurring near structure being fumigated, place the cylinder inside the designated structure if it can be done safely. If leaking cylinder occurs elsewhere, move leaking or damaged cylinder outdoors or to an isolated location, observing strict safety precautions.

Work upwind if possible. Do not permit entry into leakage area by unprotected persons until concentration of fumigant is determined to be 5 ppm or less, as determined by a detection device with sufficient sensitivity such as an INTERSCAN or MIRAN gas analyzer. For detailed information on the source and use of air monitoring devices or respirators, consult Dow AgroSciences at 800-992-5994.

### 7. HANDLING AND STORAGE:

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Handling: Keep out of reach of children. Do not breathe gas. Keep all unnecessary people and pets out of area containing sulfuryl fluoride gas. Storage: Store in original container and away from heat and dwellings.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

These precautions are suggested for conditions where a potential for exposure exists. Emergency conditions may require additional precautions.

**EXPOSURE GUIDELINE:** Sulfuryl fluoride: ACGIH TLV is 5 ppm TWA, 10 ppm STEL. OSHA PEL is 5 ppm TWA.

**ENGINEERING CONTROLS:** Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines. Lethal concentrations may exist in areas with poor ventilation.

#### RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

**RESPIRATORY PROTECTION:** Atmospheric levels should be maintained below exposure guideline. When respiratory protection is required, use an approved self-contained breathing apparatus or positive-pressure airline with auxiliary self-contained air supply. For emergency and other conditions where the exposure guideline may be exceeded, use an approved positive-pressure self-contained breathing apparatus or positive pressure airline with auxiliary self-contained air supply. In confined or poorly ventilated areas, use an approved self-contained breathing apparatus or positive pressure airline with auxiliary self-contained air supply.

\*Trademark of Dow AgroSciences LLC

# MATERIAL SAFETY DATA SHEET



Emergency Phone: 800-992-5994  
Dow AgroSciences LLC  
Indianapolis, IN 46268

## VIKANE\* GAS FUMIGANT

Effective Date: 27-Jan-10  
Product Code: 91503  
MSDS: 000506

**SKIN PROTECTION:** For handling the gas, no skin protection should be needed. When contact with the liquid (condensed gas) is possible, wear liquid-proof, thermally protective clothing.

**HAND PROTECTION:** Use an insulated glove for protection from liquid contact of the skin that may cause frostbite due to rapid cooling.

**EYE PROTECTION:** Use safety glasses. For handling the gas, wear safety glasses. When contact with the liquid (condensed gas) is possible, wear chemical goggles.

**APPLICATORS AND ALL OTHER HANDLERS:** Refer to the product label for personal protective clothing and equipment.

### 9. PHYSICAL AND CHEMICAL PROPERTIES:

**BOILING POINT:** -67°F (-55°C)

**VAPOR PRESSURE:** 15.2 atmospheres @ 20°C

**VAPOR DENSITY:** 4.3 g/L @ 20°C

**SOLUBILITY IN WATER:** Practically insoluble

**SPECIFIC GRAVITY:** 1.35 @ 20°C

**APPEARANCE:** Colorless

**ODOR:** Odorless compressed gas

### 10. STABILITY AND REACTIVITY:

**STABILITY: (CONDITIONS TO AVOID)** Cylinders may leak or rupture in a fire.

**INCOMPATIBILITY: (SPECIFIC MATERIALS TO AVOID)**  
Strong base.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Sulfur dioxide and hydrogen fluoride under fire conditions with hydrocarbons.

**HAZARDOUS POLYMERIZATION:** Not known to occur.

### 11. TOXICOLOGICAL INFORMATION:

**POTENTIAL HEALTH EFFECTS:** This section includes possible adverse effects, which could occur if this material is not handled in the recommended manner.

**EYE:** Essentially non-irritating to eyes. Liquid may cause frostbite.

**SKIN:** Essentially non-irritating to skin. Liquid may cause frostbite. No adverse effects anticipated by skin absorption.

**INGESTION:** Moderate toxicity if swallowed. The oral LD<sub>50</sub> for rats is 100 mg/kg. Swallowing is unlikely because of the physical state.

**INHALATION:** Vapor concentrations are attainable which may be fatal with single exposure. Excessive exposure may cause severe irritation to upper respiratory tract (nose and throat) and lungs. The LC<sub>50</sub> for a 4-hour exposure for rats is 991-1,122 ppm.

**SYSTEMIC (OTHER TARGET ORGAN) EFFECTS:** In animals, effects have been reported on the following organs: brain, central nervous system, kidney, lung, respiratory tract and thyroid gland. Observations in animals include convulsions and tremors. May cause fluorosis of teeth and bones.

**CANCER INFORMATION:** Did not cause cancer in laboratory animals.

**TERATOLOGY (BIRTH DEFECTS):** Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals.

**REPRODUCTIVE EFFECTS:** In animal studies, did not interfere with reproduction.

**MUTAGENICITY:** In-vitro and animal genetic toxicity studies were negative.

### 12. ECOLOGICAL INFORMATION:

#### ENVIRONMENTAL FATE:

#### MOVEMENT & PARTITIONING:

Bioconcentration potential is low (BCF <100 or Log Pow <3). Potential for mobility in soil is very high (Koc between 0 and 50).

#### DEGRADATION & PERSISTENCE:

The hydrolysis half-life is 18 minutes to 3 days.

#### ECOTOXICOLOGY:

Material is highly toxic to aquatic invertebrates on an acute basis (LC<sub>50</sub> or EC<sub>50</sub> is between 0.1 and 1 mg/L).

\*Trademark of Dow AgroSciences LLC

# MATERIAL SAFETY DATA SHEET



Emergency Phone: 800-992-5994  
Dow AgroSciences LLC  
Indianapolis, IN 46268

## VIKANE\* GAS FUMIGANT

Effective Date: 27-Jan-10  
Product Code: 91503  
MSDS: 000506

### 13. DISPOSAL CONSIDERATIONS:

**DISPOSAL METHOD:** Promptly return all empty cylinders to Dow AgroSciences. Disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws and regulations.

### 14. TRANSPORT INFORMATION:

#### DOT Non-Bulk

**Proper Shipping Name:** SULFURYL FLUORIDE  
**Hazard Class:** 2.3 **ID Number:** UN2191

#### DOT Bulk

**Proper Shipping Name:** SULFURYL FLUORIDE  
**Hazard Class:** 2.3 **ID Number:** UN2191

#### IMDG

**Proper Shipping Name:** SULFURYL FLUORIDE  
**Hazard Class:** 2.3 **ID Number:** UN2191  
**EMS Number:** F-C,S-U  
**Marine pollutant.:** Yes

#### ICAO/IATA

FORBIDDEN ON BOTH PASSENGER AND CARGO AIRCRAFT PER IATA DUE TO INHALATION HAZARD

#### Additional Information

MARINE POLLUTANT

POISON - INHALATION HAZARD, ZoneD

### 15. REGULATORY INFORMATION:

**NOTICE:** The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations.

#### U.S. REGULATIONS

**SARA 313 INFORMATION:** This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

| <u>CHEMICAL NAME</u> | <u>CAS NUMBER</u> | <u>CONCENTRATION</u> |
|----------------------|-------------------|----------------------|
| Sulfuryl Fluoride    | 2699-79-8         | 99.8%                |

**SARA HAZARD CATEGORY:** This product has been reviewed according to the EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

An immediate health hazard  
A delayed health hazard  
A sudden release of pressure hazard  
A reactive hazard

**TOXIC SUBSTANCES CONTROL ACT (TSCA):** All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

**STATE RIGHT-TO-KNOW:** The following product components are cited on certain state lists as mentioned. Non-listed components may be shown in the composition section of the MSDS.

| <u>CHEMICAL NAME</u> | <u>CAS NUMBER</u> | <u>LIST</u> |
|----------------------|-------------------|-------------|
| Sulfuryl Fluoride    | 2699-79-8         | PA1         |

PA1=Pennsylvania Hazardous Substance (present at > or = to 1.0%).

# MATERIAL SAFETY DATA SHEET



Emergency Phone: 800-992-5994  
Dow AgroSciences LLC  
Indianapolis, IN 46268

## VIKANE\* GAS FUMIGANT

Effective Date: 27-Jan-10  
Product Code: 91503  
MSDS: 000506

**OSHA HAZARD COMMUNICATION STANDARD:** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) RATINGS:

| <u>Category</u> | <u>Rating</u> |
|-----------------|---------------|
| Health          | 3             |
| Flammability    | 0             |
| Reactivity      | 1             |

**COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT (CERCLA, or SUPERFUND):** To the best of our knowledge, this product contains no chemical subject to reporting under CERCLA.

### 16. OTHER INFORMATION:

**MSDS STATUS:** Revised Sections: 14  
Reference: DR-0015-5588  
Replaces MSDS dated: 13-Mar-09  
Document Code: D03-069-450  
Replaces Document Code: D03-069-449

The Information Herein Is Given In Good Faith, But No Warranty, Express or Implied, Is Made. Consult Dow AgroSciences for Further Information.

\*Trademark of Dow AgroSciences LLC